



Instant dry photopapers, films, and specialty media that are optimized for photo quality applications, when combined with most Océ ©, HP©, Epson© and Canon© Photo Printers. Brilliant colors, professional output

PRO
SELECT



Océ PRO SELECT PHOTOPAPER

GLOSSY PHOTOPAPER

NEW PSP10G 11 mil Satin Photopaper

APPLICATION: Color and Black & White photographic prints, Indoor display graphics

CHARACTERISTICS: 11 mil Glossy Photopaper ideal for wedding, portrait, traditional black and white photographs. PSP10G starts with a true resin coated base that is designed with a more neutral b value. The specially designed microporous topcoat provides a fast dry, water resistant sheet with universal compatibility on Epson, Canon, HP and Océ' photo and proofing printers.

ITEM #	SIN	ITEM DESCRIPTION	U/M
PSP10G1610	20-320	Satin Photopaper, 11mil, 16"x100, 2" core, 1 roll ctn	EA
PSP10G1710	20-320	Satin Photopaper, 11mil, 17"x100, 2" core, 1 roll ctn	EA
PSP10G2410	20-320	Satin Photopaper, 11mil, 24"x100, 2" core, 1 roll ctn	EA
PSP10G3610	20-320	Satin Photopaper, 11mil, 36"x100, 2" core, 1 roll ctn	EA
PSP10G4210	20-320	Satin Photopaper, 11mil, 42"x100, 2" core, 1 roll ctn	EA
PSP10G4410	20-320	Satin Photopaper, 11mil, 44"x100, 2" core, 1 roll ctn	EA
PSP10G5010	20-320	Satin Photopaper, 11mil, 50"x100, 2" core, 1 roll ctn	EA
PSP10G6010	20-320	Satin Photopaper, 11mil, 60"x100, 2" core, 1 roll ctn	EA

Océ PRO SELECT PHOTOPAPER

GLOSSY PHOTOPAPER

NEW PSP8G 8.5 mil Glossy Photopaper

APPLICATION: Color and Black & White photographic prints, Indoor display graphics, short term outdoor if using pigment inks and lamination.

CHARACTERISTICS: PSP8G is a premium resin coated photopaper ideal for any photographic or display graphics application. The bright white microporous topcoat means your prints will instantly dry and be water resistant; while the thinner base allows you to save money and still provide photographic output. Universal compatibility is optimized for today's wide gamut pigment ink photo quality printers such as Canon, Epson, HP & Océ'.

ITEM #	SIN	ITEM DESCRIPTION	U/M
PSP8G24100	20-320	Glossy Photopaper, 8 mil, 24"x100, 2" core, 1 roll ctn	EA
PSP8G36100	20-320	Glossy Photopaper, 8 mil, 36"x100, 2" core, 1 roll ctn	EA
PSP8G42100	20-320	Glossy Photopaper, 8 mil, 42"x100, 2" core, 1 roll ctn	EA
PSP8G44100	20-320	Glossy Photopaper, 8 mil, 44"x100, 2" core, 1 roll ctn	EA
PSP8G50100	20-320	Glossy Photopaper, 8 mil, 50"x100, 2" core, 1 roll ctn	EA
PSP8G60100	20-320	Glossy Photopaper, 8 mil, 60"x100, 2" core, 1 roll ctn	EA

SATIN PHOTOPAPER

NEW PSP10S 11 mil Satin Photopaper

APPLICATION:

Color and Black & White photographic prints, Indoor display graphics.

CHARACTERISTICS: 11 mil Satin Photopaper ideal for wedding, portrait, traditional black and white photographs. PSP10S starts with a true resin coated base that is designed with a more neutral b value. The specially designed microporous topcoat provides a fast dry, water resistant sheet with universal compatibility on Epson, Canon, HP and Océ' photo and proofing printers.

ITEM #	SIN	ITEM DESCRIPTION	U/M
PSP10S1710	20-320	Satin Photopaper, 11mil, 24"x100, 2" core, 1 roll ctn	EA
PSP10S2410	20-320	Satin Photopaper, 11mil, 36"x100, 2" core, 1 roll ctn	EA
PSP10S3610	20-320	Satin Photopaper, 11mil, 42"x100, 2" core, 1 roll ctn	EA
PSP10S4210	20-320	Satin Photopaper, 11mil, 44"x100, 2" core, 1 roll ctn	EA
PSP10S4410	20-320	Satin Photopaper, 11mil, 50"x100, 2" core, 1 roll ctn	EA
PSP10S5010	20-320	Satin Photopaper, 11mil, 60"x100, 2" core, 1 roll ctn	EA

Océ PRO SELECT PHOTOPAPER

NEW PSP8S 8.5 mil Satin Photopaper

APPLICATION: Color and Black & White photographic prints, Indoor display graphics, short term outdoor if using pigment inks and lamination.

CHARACTERISTICS: PSP8S is a premium resing coated photopaper ideal for any photographic or display graphics application. The bright white microporous topcoat means your prints will instantly dry and be water resistant. The thinner base allows you to save money and still provide photographic quality output. Universal compatibility on Epson, Canon, HP and Océ photo and proofing printers.

ITEM #	SIN	ITEM DESCRIPTION	U/M
PSP8S24100	20-320	Satin Photopaper, 8 mil, 24"x100, 2" core, 1 roll ctn	EA
PSP8S36100	20-320	Satin Photopaper, 8 mil, 36"x100, 2" core, 1 roll ctn	EA
PSP8S42100	20-320	Satin Photopaper, 8 mil, 42"x100, 2" core, 1 roll ctn	EA
PSP8S44100	20-320	Satin Photopaper, 8 mil, 44"x100, 2" core, 1 roll ctn	EA
PSP8S50100	20-320	Satin Photopaper, 8 mil, 50"x100, 2" core, 1 roll ctn	EA
PSP8S60100	20-320	Satin Photopaper, 8 mil, 60"x100, 2" core, 1 roll ctn	EA

Luster Photo Paper (Semi-Gloss)

PSPHOTOL 8 mil Luster Photo Paper

APPLICATION: Color and B&W photographic prints. Display graphics, Signage, Graphic arts.

CHARACTERISTICS: PSPHOTOL is a photopaper with a bright microporous topcoat and a luster finish. Océ Pro-Select Luster Photopaper includes a true resin-coated base to accept higher ink loads without cockling and bleed. The specially designed topcoat on a slightly thinner base provides a fast dry, water resistant sheet that is universally printer compatible.

ITEM #	SIN	ITEM DESCRIPTION	U/M
PSPHOTOL02	20-320	Luster Photopaper 8mil. 24"x100' 2" core, 1 roll ctn	EA
PSPHOTOL03	20-320	Luster Photopaper 8mil. 36"x100' 2" core, 1 roll ctn	EA
PSPHOTOL04	20-320	Luster Photopaper 8mil. 44"x100' 2" core, 1 roll ctn	EA
PSPHOTOL05	20-320	Luster Photopaper 8mil. 50"x100' 2" core, 1 roll ctn	EA
PSPHOTOL06	20-320	Luster Photopaper 8mil. 60"x100' 2" core, 1 roll ctn	EA
PSPHOTOL10	20-320	Luster Photopaper 8mil. 42"x100' 2" core, 1 roll ctn	EA

Océ PRO SELECT FILMS

Film Screen Positives PSCFLM2 5 mil Clr Flm Screen Positives

APPLICATION: Screen print positives, Clear Overlays.

CHARACTERISTICS: PSCFLM2 is specially designed to create single images for screen positives and negatives. This update coating formula has lowered DMIN, reduced curl, and improved dot gain. The microporous design provides quick dry, and water resistance when using pigment inks.

ITEM #	SIN	ITEM DESCRIPTION	U/M
PSCFLM2001	20-320	Clear Film, 5 mil, 17"x100', 2" core, 1 roll ctn	EA
PSCFLM2002	20-320	Clear Film, 5 mil, 24"x100', 2" core, 1 roll ctn	EA
PSCFLM2004	20-320	Clear Film, 5 mil, 36"x100', 2" core, 1 roll ctn	EA
PSCFLM2003	20-320	Clear Film, 5 mil, 44"x100', 2" core, 1 roll ctn	EA
PSCFLM2005	20-320	Clear Film, 5 mil, 50"x100', 2" core, 1 roll ctn	EA
PSCFLM2006	20-320	Clear Film, 5 mil, 60"x100', 2" core, 1 roll ctn	EA

Glossy White Film PSWHTFLM 5 mil Polyester (PET) WHITE Film

APPLICATION: Tradeshow Displays, Popup Banners.

CHARACTERISTICS: 5 mil fast dry, universally compatible PET film. PSWHTFLM has the same breathtaking "color is not required. For added durability this film may be laminated with either thermal or pressure pop" and drytime as PSPOPUP, yet is designed for applications where a thinner base is desired and light blocking sensitive laminates.

ITEM #	SIN	ITEM DESCRIPTION	U/M
PSWHTFLM10	20-320	Gloss White Film, 5 mil, 24"x100', 2" core, 1 roll ctn	EA
PSWHTFLM11	20-320	Gloss White Film, 5 mil, 36"x100', 2" core, 1 roll ctn	EA
PSWHTFLM12	20-320	Gloss White Film, 5 mil, 42"x100', 2" core, 1 roll ctn	EA
PSWHTFLM13	20-320	Gloss White Film, 5 mil, 44"x100', 2" core, 1 roll ctn	EA
PSWHTFLM14	20-320	Gloss White Film, 5 mil, 50"x100', 2" core, 1 roll ctn	EA
PSWHTFLM15	20-320	Gloss White Film, 5 mil, 60"x100', 2" core, 1 roll ctn	EA

Océ PRO SELECT FILMS

**Glossy White Film with Gray back
PSPOPUP 7 mil Polyester (PET) White Film with Gray back**

APPLICATION: Tradeshow Displays, Pop up Banners.

CHARACTERISTICS: PSPOPUP'S ultra durable construction features a no-tear base, engineered to withstand repeated rolling for portable display units. The gray opaque back eliminates image washout caused by light diffusion. PSPOPUP features a microporous, water resistant, high gloss photographic top coat for outstanding "color pop" and drastically improved drytime.

ITEM #	SIN	ITEM DESCRIPTION	U/M
PSPOPUP010	20-320	Pop Up Film, 7 mil Poly, 24"x100', 2" core, 1 roll ctn	EA
PSPOPUP011	20-320	Pop Up Film, 7 mil Poly, 36"x100', 2" core, 1 roll ctn	EA
PSPOPUP012	20-320	Pop Up Film, 7 mil Poly, 42"x100', 2" core, 1 roll ctn	EA

**Premium Backlit Film
PSBCKLIT 6.5 mil Polyester (PET) Universal Backlit Film**

APPLICATION: Backlit Displays, Window Graphics, Tradeshow Displays.

CHARACTERISTICS: 6.5 mil fast dry, matte surface, front-print PET backlit film. PSBCKLIT is specially engineered to create even light diffusion and maximum image density either frontlit or backlit. The matte surface reduces the impact of fingerprints for easy handling from printing to installation. When printed with an Océ custom profile, PSBCKLIT optimizes natural skin tones, expanded shadow detail, smooth gradient blends and neutral grays.

ITEM #	SIN	ITEM DESCRIPTION	U/M
PSBCKLIT01	20-320	Back Lit Film, 6.5 mil, 24"x100', 2" core, 1 roll ctn	EA
PSBCKLIT02	20-320	Back Lit Film, 6.5 mil, 36"x100', 2" core, 1 roll ctn	EA
PSBCKLIT03	20-320	Back Lit Film, 6.5 mil, 42"x100', 2" core, 1 roll ctn	EA
PSBCKLIT04	20-320	Back Lit Film, 6.5 mil, 50"x100', 2" core, 1 roll ctn	EA
PSBCKLIT05	20-320	Back Lit Film, 6.5 mil, 54"x100', 2" core, 1 roll ctn	EA
PSBCKLIT06	20-320	Back Lit Film, 6.5 mil 60"x100', 2" core, 1 roll ctn	EA

Océ PRO SELECT CANVAS

100% Cotton Canvas
PSCANVAS 23 mil 100% Cotton Canvas

APPLICATION: Photographic Prints, Artist Reproductions, Museum Art.

CHARACTERISTICS: 23 ml 100% cotton canvas designed for long term, fade resistant museum quality canvas prints when printed with pigment inks. The water resistant coating is universally compatible and provides a wide color gamut and vivid color.

ITEM #	SIN	ITEM DESCRIPTION	U/M
PSCANVAS01	20-320	Cotton Canvas, 23 mil, l, 24"x100', 2" core, 1 roll ctn	EA
PSCANVAS02	20-320	Cotton Canvas, 23 mil, l, 36"x100', 2" core, 1 roll ctn	EA
PSCANVAS03	20-320	Cotton Canvas, 23 mil, l, 42"x100', 2" core, 1 roll ctn	EA
PSCANVAS06	20-320	Cotton Canvas, 23 mil, l, 44"x100', 2" core, 1 roll ctn	EA
PSCANVAS04	20-320	Cotton Canvas, 23 mil, l, 50"x100', 2" core, 1 roll ctn	EA
PSCANVAS07	20-320	Cotton Canvas, 23 mil, l, 54"x100', 2" core, 1 roll ctn	EA
PSCANVAS05	20-320	Cotton Canvas, 23 mil, l, 60"x100', 2" core, 1 roll ctn	EA



YOUR IMAGE JUST GOT BETTER!